

Day : Wednesday

Date: 11/8/2006

Time: 11:26:02

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = LEE

First Name = JONG-HWAN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>08125269</u>	5448510	150	09/23/1993	METHOD AND APPARATUS FOR PRODUCING THE RECIPROCAL OF AN ARBITRARY ELEMENT IN A FINITE FIELD	LEE, JONG-HWAN
<u>08598212</u>	Not Issued	161	02/07/1996	VIDEO SERVICE APPARATUS HAVING AUXILIARY STORAGE UNIT	LEE, JONG-HWAN
<u>08670934</u>	Not Issued	161	06/28/1996	METHOD FOR PROVIDING USER GUIDE INFORMATION IN A DIGITAL SATELLITE BROADCASTING RECEIVER	LEE, JONG-HWAN
<u>10029986</u>	Not Issued	71	12/31/2001	Wearable display apparatus	LEE, JONG-HWAN
<u>10612661</u>	7000382	150	07/02/2003	PARTIAL OXIDATION OF ALCOHOLS	LEE, JONG-HWAN
<u>10704663</u>	Not Issued	71	11/12/2003	Image format conversion apparatus and method	LEE, JONG-HWAN
<u>10724484</u>	Not Issued	95	11/28/2003	THERMISTOR HAVING SYMMETRICAL STRUCTURE	LEE, JONG-HWAN
<u>10734094</u>	7090811	150	12/11/2003	METHOD OF REDUCING NOX IN DIESEL ENGINE EXHAUST	LEE, JONG-HWAN
<u>10859505</u>	Not Issued	93	06/01/2004	SURFACE-MOUNTED THERMISTOR AND MANUFACTURING METHOD THEREOF	LEE, JONG-HWAN
<u>10888309</u>	Not Issued	93	07/09/2004	THERMISTOR HAVING IMPROVED LEAD STRUCTURE AND SECONDARY BATTERY HAVING THE THERMISTOR	LEE, JONG-HWAN
<u>10948403</u>	Not Issued	30	09/23/2004	Plasma-assisted NOx reduction	LEE, JONG-HWAN
<u>10958018</u>	Not	30	10/04/2004	Lithium secondary battery having	LEE, JONG-HWAN

	Issued			PTC powder and manufacturing method thereof	
<u>10960860</u>	Not Issued	95	10/07/2004	REDUCING NOX EMISSIONS WITH A STAGED CATALYST	LEE, JONG-HWAN
<u>11071906</u>	Not Issued	30	03/04/2005	Method and apparatus for removing hot pixels in a digital camera	LEE, JONG-HWAN
<u>11113559</u>	Not Issued	30	04/25/2005	Method and apparatus for removing noise from a digital image	LEE, JONG-HWAN
<u>11193975</u>	Not Issued	20	07/29/2005	Display device with reduced interference between pixels	LEE, JONG-HWAN
<u>11196027</u>	Not Issued	30	08/03/2005	Method of controlling digital image processing apparatus to effectively display histogram and digital image processing apparatus using the method	LEE, JONG-HWAN
<u>11198092</u>	Not Issued	30	08/05/2005	Reduction of NOx emissions using a staged silver/alumina catalyst system	LEE, JONG-HWAN
<u>11206541</u>	Not Issued	40	08/18/2005	Driving circuit for display device	LEE, JONG-HWAN
<u>11330516</u>	Not Issued	30	01/11/2006	PTC current limiting device having flashover prevention structure	LEE, JONG-HWAN
<u>11415133</u>	Not Issued	20	05/01/2006	Shift register and display device having the same, and method thereof	LEE, JONG-HWAN
<u>11449114</u>	Not Issued	20	06/07/2006	Display device	LEE, JONG-HWAN
<u>11500847</u>	Not Issued	30	08/07/2006	Apparatus and method of gamma correction in digital image processing device	LEE, JONG-HWAN
<u>11533434</u>	Not Issued	19	09/20/2006	Method and Apparatus to Selectively Reduce NOx in an Exhaust Gas Feedstream	LEE, JONG-HWAN
<u>11535524</u>	Not Issued	19	01/01/0001	SHIFT REGISTER AND DISPLAY DEVICE HAVING THE SAME	LEE, JONG-HWAN

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
LEE	JONG-HWAN	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	19	control\$5 with adjust\$5 with position\$5 with interpupil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 11:33
L10	139	interpupi\$5 same left same right same distance same position\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 11:34
L11	15	10 same control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 11:34
S1	689	interpupillary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 17:38
S2	8	interpupillary and (position adj adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/18 15:36
S3	10	interpupillary and (position adj (adjustment or sett\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/18 15:38
S4	707	display\$4 with (position\$4) with (adjust\$5 or set\$5) and \$pupil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/18 15:40
S5	589	(display\$4 with (position\$4) with (adjust\$5 or set\$5) and \$pupil\$5) and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/18 15:40
S6	421	((display\$4 with (position\$4) with (adjust\$5 or set\$5) and \$pupil\$5) and distance) and left and right	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/18 15:54

EAST Search History

S7	99	((display\$4 with (position\$4) with (adjust\$5 or set\$5) and \$pupil\$5) and distance) and left and right) and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/18 15:56
S8	74	(((((display\$4 with (position\$4) with (adjust\$5 or set\$5) and \$pupil\$5) and distance) and left and right) and "345"/\$.ccls.) and @ad<"20010219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/18 15:57
S9	2	"5774096".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 14:52
S10	31780	control\$5 same adjust\$5 same (image or data or pixel) same position\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 15:21
S11	1058	S10 same right same left	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 15:21
S12	14	interpupil\$4 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 16:40
S13	90	interpupil\$4 same distance same position same right same left	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 16:54
S14	71	S13 and @ad<"20010219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/03 16:54
S15	29	interpupill\$5 same control\$5 same (set\$5 or automat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 08:31
S16	9	contro\$5 same interpup\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 08:36

EAST Search History

S17	15	sensor same interpupill\$5 same control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 08:43
S18	27	sensor same interpupill\$5 same (range or distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 08:44
S19	184	adju\$5 same position\$5 same interpupill\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/06 11:26
S20	143	S19 and @ad<"20010219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/06 11:27
S21	85	S20 and control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/06 12:31
S22	2	"5774096".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/06 12:01
S23	11	automat\$5 same interpupillary same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 11:05
S24	68	control\$5 same interpupill\$5 same adjust\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 11:06
S25	0	control\$5 same position same adjust\$5 same interpup\$5 same set\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 11:23
S26	31	position same interpup\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 11:30

EAST Search History

S27	141770	control same position same adjust\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 11:31
S28	6455	S27 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 11:32
S29	0	S28 and interpip\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 11:32
S30	3	S28 and interpup\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 11:33
S31	6	interpup\$5 with sett\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 12:13
S32	26	control\$5 same interpup\$6 same set\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 12:13
S33	3	"6076929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/05 15:28
S34	1870420	display ame position\$5 same adjust\$5 same interpupillary same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:35
S35	15	display same position\$5 same adjust\$5 same interpupillary same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:47
S36	34653	adjust\$5 near2 image withinterpupillary near distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:48

EAST Search History

S37	2	adjust\$5 near2 image with interpupillary near distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:49
S38	2	adjust\$5 near2 image same interpupillary near distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 15:49
S39	3	adjust\$5 near2 image same interpupillary near3 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:04
S40	3	display same position\$5 same input\$5 same interpupillary same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:05
S41	52	display same position\$5 same interpupillary same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:05
S42	20	control\$5 same (display or image or picture or data) same adjust\$5 same interpupillary same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:42
S43	327	adjust\$5 with interpupillary with distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:43
S44	38	S43 same control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:54
S45	2	interpupillar\$5 with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:55
S46	17	interpupillar\$5 with input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 16:59

EAST Search History

S47	10	display same (smaller or reduced or compressed) same interpupillary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 17:02
S48	695	interpupillary near2 distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 14:40
S49	79	S48 same control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 14:47
S50	13874	control same adjust\$5 same image same position\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 14:48
S51	7	S50 same interpup\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 14:51
S52	9	control\$5 same (position with adjust\$5) same interpupillary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 14:54
S53	23646	control\$5 with position near adjust\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 14:54
S54	1650	S53 same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 14:54
S55	35	S54 same left same right	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 14:55
S56	0	control near (display near3 position\$6) with interpupillary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 15:06

EAST Search History

S57	0	control\$5 near (display near3 position\$6) with interpupillary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 15:06
S58	1	control\$5 near4 (display near3 position\$6) with interpupillary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 15:07
S59	14	input\$5 with (interpupillary near distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 15:12
S60	1	interpupillar near distance with control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 15:12
S61	1	interpupillar near distance same control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 15:13
S62	1	interpupillar near3 distance same control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 15:13
S63	82	(interpupillar\$5 near3 distance) same control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 15:20
S64	371	output\$5 same input\$5 same display same position\$5 same distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 15:22
S65	371	S64 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 15:22
S66	21	S65 same left same right	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 15:22

EAST Search History

S67	30	sensor same interpupillar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 17:26
S68	387	interpupillary same distance same adjust\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 17:38
S69	51	S68 same control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 17:38